

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/425,436	10/22/1999	RICHARD ROBERT CAPPADONA	66635	9564
22242 FITCH EVEN	7590 05/30/2007 TABIN AND FLANNEI	Q.V	EXAMINER	
120 SOUTH L	A SALLE STREET	K1	BECKER, DREW E	
SUITE 1600 CHICAGO, IL	60603-3406		ART UNIT	PAPER NUMBER
011101100,12	00000 5 100		1761	
		•		
			MAIL DATE	DELIVERY MODE
			05/30/2007	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

C

	Application No.	Applicant(s)				
	09/425,436	CAPPADONA ET AL.				
Office Action Summary	Examiner	Art Unit				
	Drew E. Becker	1761				
The MAILING DATE of this communication app Period for Reply	ears on the cover sheet with the c	orrespondence address				
A SHORTENED STATUTORY PERIOD FOR REPLY WHICHEVER IS LONGER, FROM THE MAILING DA - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period will. Failure to reply within the set or extended period for reply will, by statute, Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION 36(a). In no event, however, may a reply be tim vill apply and will expire SIX (6) MONTHS from cause the application to become ABANDONE	lely filed the mailing date of this communication. D (35 U.S.C. § 133).				
Status						
1) Responsive to communication(s) filed on 23 Ag	Responsive to communication(s) filed on <u>23 April 2007</u> .					
3) Since this application is in condition for allowar						
closed in accordance with the practice under E	closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.					
Disposition of Claims						
	P 0					
4) Claim(s) 2-6 and 8-30 is/are pending in the app 4a) Of the above claim(s) is/are withdrav 5) Claim(s) 2-6 and 8-19 is/are allowed. 6) Claim(s) 20-30 is/are rejected. 7) Claim(s) is/are objected to. 8) Claim(s) are subject to restriction and/or	vn from consideration.					
Application Papers						
9) The specification is objected to by the Examiner 10) The drawing(s) filed on is/are: a) access applicant may not request that any objection to the of Replacement drawing sheet(s) including the correction of the original transfer of the correction is objected to by the Examiner of the correction of the corre	epted or b) objected to by the Edrawing(s) be held in abeyance. See on is required if the drawing(s) is obj	e 37 CFR 1.85(a). ected to. See 37 CFR 1.121(d).				
Priority under 35 U.S.C. § 119						
12) Acknowledgment is made of a claim for foreign a) All b) Some c) None of: 1. Certified copies of the priority documents 2. Certified copies of the priority documents 3. Copies of the certified copies of the prior application from the International Bureau * See the attached detailed Office action for a list of	s have been received. s have been received in Application ity documents have been received (PCT Rule 17.2(a)).	on No d in this National Stage				
Attachment(s)						
Notice of References Cited (PTO-892) Notice of Draftsperson's Patent Drawing Review (PTO-948) Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date 4/23/07.	4) Interview Summary Paper No(s)/Mail Da 5) Notice of Informal Pa 6) Other:	te				

Art Unit: 1761

DETAILED ACTION

Claim Rejections - 35 USC § 112

1. The following is a quotation of the first paragraph of 35 U.S.C. 112:

The specification shall contain a written description of the invention, and of the manner and process of making and using it, in such full, clear, concise, and exact terms as to enable any person skilled in the art to which it pertains, or with which it is most nearly connected, to make and use the same and shall set forth the best mode contemplated by the inventor of carrying out his invention.

- 2. Claims 20-30 are rejected under 35 U.S.C. 112, first paragraph, as failing to comply with the written description requirement. The claim(s) contains subject matter which was not described in the specification in such a way as to reasonably convey to one skilled in the relevant art that the inventor(s), at the time the application was filed, had possession of the claimed invention. The phrase "at sub-atmospheric pressure with little or substantially no added water" in claim 20 does not appear to be supported by the specification. The phrase "configured for waterless cooking at sub-atmospheric pressures" in claim 23 does not appear to be supported by the specification. Applicant has not pointed out where new claims 24-30 are supported by the specification, particularly the phrase "configured for waterless cooking at sub-atmospheric pressures" in claim 24.
- 3. The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

Art Unit: 1761

4. Claims 20-30 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

- 5. Claims 20 and 24 recite "with little or substantially no added water". It is not clear what level or amount of water would satisfy this limitation.
- 6. Claim 23 recites "with little or no additional water". It is not clear what level or amount of water would satisfy this limitation.
- 7. Claim 24 recites "a probe configured to be inserted through the at least one aperture". It is not clear whether the probe actually needs to be in the aperture, or simply be capable of this action.
- 8. Claim 29 recites a "low profile". It is not clear what level or degree of height would be considered "low profile".

Claim Rejections - 35 USC § 103

- 9. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 10. Claims 20-22 and 24-29 are rejected under 35 U.S.C. 103(a) as being unpatentable over Barbour [Pat. No. 6,293,271] in view of DE 7527182.

 Barbour teaches a cooking device suitable for stovetop waterless cooking comprising a pan (Figure 1, #24), a removable lid with upper and lower surfaces as well as a rim

Art Unit: 1761

(Figure 1, #26), an aperture through the lid (Figure 8, #74), a removable thermometer extending through the aperture, the thermometer inherently having a display, the thermometer having a probe extending down to a height above the rim (Figure 4, #78), and the lid being shaped and sized sufficiently to be capable of inversion and nesting with the pan when the racks are removed (Figure 9). Barbour does not recite a knob body, a temperature sensing device within the probe, the probe being a thin-walled. hollow tube, a holder and retaining member which align, the aperture passing through both the knob and lid, and the probe extending no more than 1.5" from the lid bottom. DE 7527182 teaches a cooking device comprising a lid with a knob assembly (Figure 1, #11-12), a thermometer comprising a thin-walled, hollow tube with a temperature sensing device (Figure 1, #16-18), a holder (Figure 1, #12), and a retaining member which is screwed onto the holder when the threads are aligned (Figure 1, #13). It would have been obvious to one of ordinary skill in the art to incorporate the unitary thermometer structure and knob-shaped handle of DE 727182 into the invention of Barbour since both are directed to cooking devices, since Barbour already included a removable thermometer (Figure 4, #78) and a handle (Figure 7, #68), since knobshaped handles were commonly used as handles on cookware lids as shown by DE 7527182 (Figure 1), since Barbour simply did not describe the thermometer structure in detail, and since the thermometer and knob structure of DE 7527182 combined the handle and temperature sensing functions of Barbour into one unitary component which was still capable of being removed at will by simply removing the knob from the locking nut of DE 7527182 (Figure 1, #13). Regarding the length of the probe, it would have

Page 5

Art Unit: 1761

been obvious to one of ordinary skill in the art to scale the device of Barbour, in view of DE 19751218, so that the probe extended less than 1.5" since would have reduced the chance of the thermometer being damaged by contacting food or objects beneath the lid. MPEP 2144.04 states: In re Rose, 220 F.2d 459, 105 USPQ 237 (CCPA 1955) (Claims directed to a lumber package "of appreciable size and weight requiring handling by a lift truck" where held unpatentable over prior art lumber packages which could be lifted by hand because limitations relating to the size of the package were not sufficient to patentably distinguish over the prior art.); In re Rinehart, 531 F.2d 1048, 189 USPQ 143 (CCPA 1976) ("mere scaling up of a prior art process capable of being scaled up, if such were the case, would not establish patentability in a claim to an old process so scaled." 531 F.2d at 1053, 189 USPQ at 148.). In Gardner v. TEC Systems, Inc., 725 F.2d 1338, 220 USPQ 777 (Fed. Cir. 1984), cert. denied, 469 U.S. 830, 225 USPQ 232 (1984), the Federal Circuit held that, where the only difference between the prior art and the claims was a recitation of relative dimensions of the claimed device and a device having the claimed relative dimensions would not perform differently than the prior art device, the claimed device was not patentably distinct from the prior art device.

Claim 30 is rejected under 35 U.S.C. 103(a) as being unpatentable over Barbour, in view of DE 19751218, as applied above, and further in view of WO 92/00033.

Barbour and DE 19751218 teach the above mentioned components. Barbour also teaches removing the thermometer without the use of separate tools (Figure 2, #78). DE 19751218. Barbour and DE 19751218 do not recite a holder received in a recess of the knob. WO 92/00033 teaches a cooking pan with a lid having a knob assembly (Figure

Art Unit: 1761

1a, #3) comprising a thermometer (Figure 1a, #5) and a holder which is received within a recess of the outer knob assembly (Figure 1a, #11). It would have been obvious to one of ordinary skill in the art to incorporate the holder of WO 92/00033 into the invention of Barbour, in view of DE 19751218, since all are directed to cooking pans, since DE 19751218 already included a holder (Figure 1, #12), and since the recessed holder of WO 92/00033 was better protected from possible damage by being recessed within the knob assembly (Figure 1a, #3 & 11).

12. Claim 23 is rejected under 35 U.S.C. 103(a) as being unpatentable over Barbour in view of DE 7527182 and Hupf et al [Pat. No. 6,004,000].

Barbour teaches a method of cooking by placing foods with little or no water in a pan (Figures 12-13, #24), a removable lid with a rim (Figures 12-13, #26), an aperture in the lid which receives a thermometer (Figures 12-13, #74 & 78), a blockable vent (Figures 12-13, #76 & 80), the thermometer including a probe, an inherent display, and the lower end of the probe being located above the rim (Figures 12-13, #78), applying heat to the pan bottom (Figures 12-13, #12), and measuring the temperature within the pan (column 6, line 56). Barbour does not recite a knob assembly, a temperature sensing device beneath the aperture, and closing the vent and reducing the heat when the temperature reaches a predetermined point. DE 7527182 teaches a method of cooking by use of a lid with a knob assembly (Figure 1, #12), an aperture holding a thermometer with a temperature sensor beneath the aperture (Figure 1, #16-18). It would have been obvious to one of ordinary skill in the art to incorporate the thermometer structure and knob of DE 727182 into the invention of Barbour since both are directed to cooking

Art Unit: 1761

devices, since Barbour already included a removable thermometer (Figure 4, #78) and a handle (Figure 7, #68), since knobs were commonly used as handles on cookware lids as shown by DE 7527182 (Figure 1), since Barbour simply did not describe the thermometer details, and since the thermometer and knob structure of DE 7527182 combined the handle and temperature sensing functions of Barbour into one unitary component which was still capable of being removed at will. Hupf et al teach a method of waterless cooking by placing food with little or no water into a pan, placing a lid over the pan, heating the bottom of the pan, measuring the temperature, closing the vent, and reducing the heat (column 6, lines 31-44). It would have been obvious to one of ordinary skill in the art to incorporate the cooking steps of Hupf et al into the invention of Barbour, in view of DE 7527182, since all are directed to methods of cooking food, since Barbour already included cooking food with little or no water (Figures 12-13), since the device of Barbour was expressly built for multiple different cooking techniques (abstract), since Barbour teaches employing other additional cooking modes (column 7, line 57), since Barbour already included a temperature sensor, bottom heating, and a vent (Figures 12-13, #12, 78, 80) thus providing the capability for a waterless cooking method to be executed, and since the waterless cooking method of Hupf et al was well known in the art and commonly employed (column 6, lines 31-44).

Allowable Subject Matter

13. Claims 2-6 and 8-19 are allowed.

Art Unit: 1761

The following is an examiner's statement of reasons for allowance: the cooking devices of independent claims 2, 8, and 15 define over the prior art of record since the prior art does not teach, suggest, nor render obvious a dual function notch which enables removal of the movable member and acts as a slot to enable the whistle.

Response to Arguments

15. Applicant's arguments filed 4/23/07 have been fully considered but they are not persuasive.

Applicant argues that waterless cooking included "sub-atmospheric pressure". However, the specification does not contain this definition. Applicant's attention is drawn to the BPAI Decision of 2/21/07 which addresses this issue (page 5). It points out that a specific definition must be found in the application, otherwise a term is given its broadest reasonable interpretation. Also, it points out that the application does not support "sub-atmospheric pressure".

In response to applicant's argument that each reference does not teach each and every limitation, the test for obviousness is not whether the features of a secondary reference may be bodily incorporated into the structure of the primary reference; nor is it that the claimed invention must be expressly suggested in any one or all of the references. Rather, the test is what the combined teachings of the references would have suggested to those of ordinary skill in the art. See *In re Keller*, 642 F.2d 413, 208 USPQ 871 (CCPA 1981).

Art Unit: 1761

In response to applicant's arguments against the references individually, one cannot show nonobviousness by attacking references individually where the rejections are based on combinations of references. See *In re Keller*, 642 F.2d 413, 208 USPQ 871 (CCPA 1981); *In re Merck & Co.*, 800 F.2d 1091, 231 USPQ 375 (Fed. Cir. 1986).

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Drew E. Becker whose telephone number is 571-272-1396. The examiner can normally be reached on Mon.-Fri. 8am to 4:30pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor. Milton Cano can be reached on 571-272-1398. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA &R CANADA) or 571-272-1000.

YDREW BECKER
PRIMARY EXAMINER

5.240/